

pNFκB-luc (报告基因质粒)


产品编号	产品名称	包装
D2206-1μg	pNFκB-luc (报告基因质粒)	1μg
D2206-100μg	pNFκB-luc (报告基因质粒)	100μg

产品简介：

- pNFκB-luc (报告基因质粒)是碧云天自行研发的用于检测NFκB转录活性水平的报告基因质粒。pNFκB-luc是以碧云天的pGL6质粒为模板，在其多克隆位点插入了多个NFκB结合位点，可以高灵敏度地检测NFκB的激活水平。
- pGL6质粒是用于在哺乳动物细胞中进行萤火虫萤光素酶(firefly luciferase)报告基因检测的新一代质粒。该报告基因质粒比Promega公司的pGL3系列有了全面的改进，一方面对于luciferase的编码进行了改进，确保能更好地在哺乳动物细胞中进行表达，同时对整个质粒中所有可以被预测出的可能的转录因子结合位点全部进行了适当的突变处理，在保持原有功能不变的情况下，使各种转录因子在质粒上的非特异性结合降到最低。
- 萤光素、萤光素酶、萤火虫萤光素酶和海肾萤光素酶也经常被称为荧光素、荧光素酶、萤火虫荧光素酶和海肾荧光素酶。
- pNFκB-luc质粒的主要信息如下：

Base pairs	5610
NFκB response element (κB)	26-65
luc2 reporter gene	111-1763
SV40 late poly(A) signal	1798-2019
SV40 early enhancer/promoter	2067-2485
Synthetic neomycin phosphotransferase (Neor) coding region	2510-3304
Synthetic poly(A) signal	3329-3377
Reporter Vector primer 4 (RVprimer4) binding region	3444-3463
ColE1-derived plasmid replication origin	3701
Synthetic Beta-lactamase (Amp ^r) coding region	4492-5352
Synthetic poly(A) signal/transcriptional pause site	5457-5610
Reporter Vector primer 3 (RVprimer3) binding region	5559-5578

- pNFκB-luc质粒的图谱如下：



➤ pNFκB-luc的多克隆位点及NFκB response element的详细图谱如下:

```

      BglI      KpnI   NheI      NFκB response element
1  GGCCTAACTG GCCGGTACCG CTAGCGGGAA TTTCCGGGAA TTTCCGGGAA
   CCGGATTGAC CGGCCATGGC GATCGCCCTT AAAGGCCCTT AAAGGCCCTT
  
```

```

                BglIII      HindIII
51 TTTCCGGGAA TTTCCAGATC TGCAGAAGCT TGGCAATCCG GTACTGTTGG
   AAAGGCCCTT AAAGGTCTAG ACGTCTTCGA ACCGTTAGGC CATGACAACC
  
```

➤ pNFκB-luc中没有的酶切位点(Restriction enzymes that do not cut pNFκB-luc)包括:

```

Aat II   Afl II   Asc I   Ase I   Bsa I   BsaA I   Bsiw I   BspM II
BssH II  Eco72 I  EcoR I  EcoR V  Mlu I   Nde I   Nru I   PaeR7 I
PflM I   Pme I    Pml I   Psp1406 I  PspA I  Rsr II  Sac I   Sma I
SnaB I   Spl I    Srf I   Tth111 I  Vsp I   Xcm I   Xho I   Xma I
  
```

➤ pNFκB-luc中的单酶切位点(Restriction enzymes that cut pNFκB-luc once)包括:

```

Sfi I      GGCCN, NNN`NGGCC 9          BstB I      TT`CG, AA      3380
Bgl I      GCCN, NNN`NGGCC 9          Sal I       G`TCGA, C      3394
Acc65 I    G`GTAC, C      15          Afl III     A`CRYG, T      3644
Asp718     G`GTAC, C      15          ApaL I      G`TGCA, C      3958
Kpn I      G,GTAC`C      19          HgiE II    ACCNNNNMNGGT -1/134223
Nhe I      G`CTAG, C      21          Not I       GC`GGCC, GC    4464
Bgl II     A`GATC, T      67          BstX I      CCAN, NNNN`NTGG 4488
Hind III   A`AGCT, T      77          BstE II     G`GTNAC, C     4491
BsrG I     T`GTAC, A      602         Ahd I       GACNN, N`NNGTC 4566
Dra III    CAC, NNN`GTG  1258        Bsu36 I     CC`TNA, GG     4922
Gsu I      CTGGAG 21/19  1491        Pvu I       CG, AT`CG      4936
Bpm I      CTGGAG 22/20  1492        Sac II      CC, GC`GG      4960
Mun I      C`AATT, G      1938        Bst1107 I   GTA|TAC        5076
BamH I     G`GATC, C      2031        Xca I       GTA|TAC        5076
Stu I      AGG|CCT        2464        Spe I       A`CTAG, T      5395
EcoN I     CCTNN`N, NNAGG 2985        BsmA I      GTCTC`/9      5407
BsiC I     TT`CG, AA      3380        BsmB I      CGTCTC 7/11   5408
  
```

➤ pNFκB-luc质粒中推荐使用的测序引物序列如下:

```

RVprimer3 (5559-5578):
CTA GCA AAA TAG GCT GTC CC
  
```

➤ pNFκB-luc的全序列信息请参考碧云天的网站上该质粒的信息。

包装清单:

产品编号	产品名称	包装
D2206-1μg	pNFκB-luc (报告基因质粒)	1μg
D2206-100μg	pNFκB-luc (报告基因质粒)	100μg
—	说明书	1份

保存条件:

-20°C保存。

注意事项:

- 本质粒未经碧云天书面许可不得用于任何商业用途, 也不得移交给订货人所在实验室外的任何个人或单位。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

1. 首次使用1μg包装的本产品时, 请先取少量本质粒转化大肠杆菌, 进行质粒小量、中量或大量抽提后再用于后续用途。抽提获得的质粒可以通过酶切电泳进行鉴定, 或通过测序进行鉴定。
2. 100μg包装的本产品质粒浓度为0.1μg/μl, 共1ml。可以直接用于酶切或者转染细胞。
3. pNFκB-luc可以用常规的细胞转染方法转染细胞。检测时可以采用碧云天的萤火虫荧光素酶报告基因检测试剂盒(RG005/RG006)或双萤光素酶报告基因检测试剂盒(RG027/RG028)。
4. TNF-α、IL-1β和LPS等是常见的可以激活NFκB的试剂, 可以用作pNFκB-luc报告基因检测时的阳性对照。

使用本产品的文献:

1. Xi Jin, Li-Ping Ge, Da-Qiang Li, Zhi-Ming Shao, Gen-Hong Di, Xiao-En Xu, Yi-Zhou Jiang. LncRNA TROJAN promotes proliferation and resistance to CDK₂ inhibitor via CDK₂ transcriptional activation in ER+ breast cancer. Mol Cancer. 2015 May ; ():1-12.

2. Xuewu Sun, Ziang Xie, Bin Hu, Boya Zhang, Yan Ma, Xin Pan, Hai Huang, Jiying Wang, Xiangde Zhao, Zhiwei Jie, Peihua Shi, Zhijun Chen. The Nrf α activator RTA- α attenuates osteoclastogenesis by inhibiting STING dependent NF- κ B signaling. *Redox Biol.* 2018; 17: 1-11.
3. Jia Liu, Yang Zhan, Jiefu Wang, Junfeng Wang, Jiansheng Guo, Dalu Kong. Long noncoding RNA LINC 01032 drives colon cancer metastasis through a positive feedback loop with the NF- κ B/YY1 axis. *Mol Oncol.* 2018; 11(12): 2037-2048.
4. Liu JY, Jiang L, He T, Liu JJ, Fan JY, Xu XH, Tang B, Shi Y, Zhao YL, Qian F, Wang Y, Cui YH, Yu PW. NETO1 promotes invasion and metastasis of gastric cancer cells via activation of PI3K/Akt/NF- κ B/Snail axis and predicts outcome of the patients. *Cell Death Dis.* 2018; 9(2): 232.
5. Song Lyu, Xue Zhang, Zhenzhen Tu, Haisheng Zhou, Xisong Ke, Yi Qu. GPR109A is required for gambogic acid inhibiting NF- κ B signaling in cancer. *Pharmacol Res.* 2018; 130: 1-11.
6. Shuo Ni, Zhi Qian, Yin Yuan, Dejian Li, Zeyuan Zhong, Farnaz Ghorbani, Xu Zhang, Fangxue Zhang, Zhenhua Zhang, Zichen Liu, Baoqing Yu. Schisandrin A restrains osteoclastogenesis by inhibiting reactive oxygen species and activating Nrf2 signalling. *CELL PROLIFERAT.* 2018; 31(10): 1-11.
7. Chao Wang, Yan Chen, Kunlun Chen, Lei Zhang. Long Noncoding RNA LINC 01032 Promotes Hepatocellular Carcinoma Metastasis via Activating AKT and NF- κ B Signaling. *Front Cell Dev Biol.* 2018; 8: 1-11.
8. Haiyan Gu, Yifan Zhu, Yao Zhou, Tianyu Huang, Siqing Zhang, Deyu Zhao, Feng Liu. LncRNA MALAT1 Affects Mycoplasma pneumoniae Pneumonia via NF- κ B Regulation. *Front Cell Dev Biol.* 2018; 8: 1-11.
9. Wang Q, Zhou X, Zhao Y, Xiao J, Lu Y, Shi Q, Wang Y, Wang H, Liang Q. Polyphyllin I Ameliorates Collagen-Induced Arthritis by Suppressing the Inflammation Response in Macrophages Through the NF- κ B Pathway. *Front Immunol.* 2018; 9: 1-11.
10. Tian YP, Jiang W, Gao N, Zhang JL, Chen W, Fan DY, Zhou DS, An J. Inhibitory effects of glutathione on dengue virus production. *Biochemical and Biophysical Research Communications.* 2018; 501(1): 1-6.
11. Du RH, Li EG, Cao Y, Song YC, Tan RX. Fumigaclavine C inhibits tumor necrosis factor α production via suppression of toll-like receptor 4 and nuclear factor κ B activation in macrophages. *Life Sci.* 2018; 198: 1-11.
12. Chen X, Ren F, Hesketh J, Shi X, Li J, Gan F, Huang K. Reactive oxygen species regulate the replication of porcine circovirus type 2 via NF- κ B pathway. *Virology.* 2018; 514: 1-11.
13. Chen FH, Lu N, Zhang HW, Zhao L, He LC, Sun HP, You QD, Li ZY, Guo QL. LYG-801 augments tumor necrosis factor- α -induced apoptosis via attenuating casein kinase 1-dependent nuclear factor- κ B pathway in HepG2 cells. *Mol Pharmacol.* 2018; 91(10): 1-11.
14. Song Y, Dou H, Gong W, Liu X, Yu Z, Li E, Tan R, Hou Y. Bis-N-norgliovictin, a small-molecule compound from marine fungus, inhibits LPS-induced inflammation in macrophages and improves survival in sepsis. *Eur J Pharmacol.* 2018; 627: 1-11.
15. Hu P, Huang P, Chen MW. Curcumin attenuates cyclooxygenase-2 expression via inhibition of the NF- κ B pathway in lipopolysaccharide-stimulated human gingival fibroblasts. *Cell Biol Int.* 2018; 42(5): 1-11.
16. Xi P, Ding D, Zhou J, Wang M, Cong YS. DDRGK1 regulates NF- κ B activity by modulating I κ B stability. *PLoS One.* 2018; 13(5): 1-11.
17. Xue P, Zheng M, Diao Z, Shen L, Liu M, Gong P, Sun H, Hu Y. miR-101-3p mediates suppressive effect of PTEN 3'-untranslated region on AP-1/NF- κ B pathway in HTR-8/SVneo cells. *Placenta.* 2018; 65: 1-11.
18. Chen J, Xu L, Huang C. DHEA inhibits vascular remodeling following arterial injury: a possible role in suppression of inflammation and oxidative stress derived from vascular smooth muscle cells. *Mol Cell Biochem.* 2018; 463(1-2): 1-11.
19. Yuan-Zheng Xia, Lei Yang, Zhen-Dong Wang, Chao Guo, Chao Zhang, Ya-Di Genga and Ling-Yi Kong. Schisandrin A enhances the cytotoxicity of doxorubicin by the inhibition of nuclear factor-kappa B signaling in a doxorubicin-resistant human osteosarcoma cell line. *RSC Advances.* 2018; 8(10): 1-11.
20. Zhang Y, Zhang C, Zhuang R, Ma Y, Zhang Y, Yi J, Yang A, Jin B. IL-1/ST2 correlates with severity of haemorrhagic fever with renal syndrome and regulates the inflammatory response in Hantaan virus-infected endothelial cells. *PLOS ONE.* 2018; 13(2): 1-11.
21. Zheng T, Chou J, Zhang F, Liu Y, Ni H, Li X, Zheng L, Tang T, Jin L, Xi T. CXCR4 3'UTR functions as a ceRNA in promoting metastasis, proliferation and survival of MCF-7 cells by regulating miR-155 activity. *Eur J Cell Biol.* 2018; 196(10): 1-11.
22. Song H, Lv X, Yang J, Liu W, Yang H, Xi T, Xing Y. A novel chimeric flagellum fused with the multi-epitope vaccine CTB-UE prevents Helicobacter pylori-induced gastric cancer in a BALB/c mouse model. *APPL MICROBIOL BIOT.* 2018; 102(11): 1-11.
23. Bao W, Xia H, Liang Y, Ye Y, Lu Y, Xu X, Duan A, He J, Chen Z, Wu Y, Wang X, Zheng C, Liu Z, Shi S. Toll-like Receptor 4 Can be Activated by Endogenous Mitochondrial DNA to Induce Podocyte Apoptosis. *CI REP-UK.* 2018; 8(3): 1-11.
24. Song J, Feng L, Zhong R, Xia Z, Zhang L, Cui L, Yan H, Jia X, Zhang Z. Icariside II inhibits the EMT of NSCLC cells in inflammatory microenvironment via down-regulation of Akt/NF- κ B signaling pathway. *MOL CARCINOGEN.* 2018; 49(1): 1-11.
25. Cao L, Chen J, Wei Y, Shi H, Zhang X, Yuan J, Shi D, Liu J, Zhu X, Wang X, Cui S, Feng L. Porcine parvovirus induces activation of NF- κ B signaling pathways in PK-15 cells mediated by toll-like receptors. *Mol Immunol.* 2018; 95: 1-11.
26. Liu L, Tu X, Shen YF, Chen WC, Zhu B, Wang GX. The replication of spring viraemia of carp virus can be regulated by reactive oxygen species and NF- κ B pathway. *FISH SHELLFISH IMMUN.* 2018; 68: 1-11.
27. Chen Y, Fu R, Xu M, Huang Y, Sun G, Xu L. N-methyl-N-nitro-N-nitrosoguanidine-mediated ING1 downregulation contributed to the angiogenesis of transformed human gastric epithelial cells. *Life Sci.* 2018; 198: 1-11.
28. Dai JP, Wang QW, Su Y, Gu LM, Deng HX, Chen XX, Li WZ, Li KS. Oxymatrine Inhibits Influenza A Virus Replication and Inflammation via TLR4, p38 MAPK and NF- κ B Pathways. *Int J Mol Sci.* 2018; 19(10): 1-11.
29. Xiang G, Fan M, Ma Y, Wang M, Gao J, Chen J, Li X, Xue W, Wang Y, Gao H, Shen Y, Xu Q. Anti-inflammatory actions of Caesalpinin M in experimental colitis as a selective glucocorticoid receptor modulator. *Biochem Pharmacol.* 2018; 157: 1-11.
30. Ma B, Zhu J, Zhao A, Zhang J, Wang Y, Zhang H, Zhang L, Zhang Q. Raddeanin A, a natural triterpenoid saponin compound, exerts anticancer effect on human osteosarcoma via the ROS/JNK and NF- κ B signal pathway. *TOXICOL APPL PHARM.* 2018; 353: 1-11.
31. Haoyu Wang, Jiao Lu, Kaili Li, Hongyu Ren, Yi Shi, Tian Qin, Xuefeng Duan, Min Fang. The Virulence of Legionella Pneumophila Is

- Positively Correlated With Its Ability to Stimulate NF- κ B Activation. *Future Microbiol.* 箴 箴Sep; : 箴箴- 箴 .
32. Jin M, Lou J, Yu H, Miao M, Wang G, Ai H, Huang Y, Han S, Han D, Yu G. Exposure to 箴 , 箴tetrachlorodibenzo-p-dioxin promotes inflammation in mouse testes: The critical role of Klotho in Sertoli cells. *Toxicol Lett.* 箴 箴Oct ;箴 : 箴 箴.
33. Lou C, Lu H, Ma Z, Liu C, Zhang Y. Ginkgolide B enhances gemcitabine sensitivity in pancreatic cancer cell lines via inhibiting PAFR/NF- κ B pathway. *Biomed Pharmacother.* 箴 Jan : 箴- 箴
34. Xie Y, Li F, Li Z, Shi Z. miR- a suppresses migration of gastric cancer cells by targeting TRAF -mediated NF- κ B activation. *ONCOTARGETS THER.* 箴 Feb 箴 - 箴
35. Wang M, Wang B, Liu M, Jiang K, Wang L. A novel LRR-only protein mediates bacterial proliferation in hemolymph through regulating expression of antimicrobial peptides in mollusk *Chlamys farreri*. *Dev Comp Immunol.* 箴 Mar; 箴箴箴-箴箴.
36. Shen X, Zhang J, Zhang X, Wang Y, Hu Y, Guo J. Retinoic Acid-Induced Protein 箴(RAI 箴 Promotes mTOR-Mediated Inflammation Under Inflammatory Stress and Chemical Hypoxia in a U箴 Glioblastoma Cell Line. *Cell Mol Neurobiol.* 箴 Mar (箴:箴箴-箴箴
37. Wang W, Cheng H, Gu X, Yin X. The natural flavonoid glycoside vitexin displays preclinical antitumor activity by suppressing NF- κ B signaling in nasopharyngeal carcinoma. *ONCOTARGETS THER.* 箴 Jun 箴箴箴-箴箴箴
38. Guo X, Zheng M, Pan R, Zang B, Gao J, Ma H, Jin M. Hydroxysafflor yellow A (HSYA) targets the platelet-activating factor (PAF) receptor and inhibits human bronchial smooth muscle activation induced by PAF. *Food Funct.* 箴 Aug (箴:箴箴箴-箴箴 .
39. Wang Y, Sun A, Sun Y, Zhang S, Xia T, Guo T, Hao Z, Sun L, Jiang Y, Qiao X, Cui W, Tang L, Xu Y, Li Y, Wang L. Porcine transmissible gastroenteritis virus inhibits NF- κ B activity via nonstructural protein to evade host immune system. *Virology.* 箴 Aug 箴): .
40. Duan Y, Zhang Y, Qu C, Yu W, Tana, Shen C. CKLF aggravates neointimal hyperplasia by inhibiting apoptosis of vascular smooth muscle cells through PI K/AKT/NF- κ B signaling. *Biomed Pharmacother.* 箴 Sep : 箴箴
41. Meng J, Zhou C, Zhang W, Wang W, He B, Hu B, Jiang G, Wang Y, Hong J, Li S, He J, Yan S, Yan W. Stachydrine prevents LPS-induced bone loss by inhibiting osteoclastogenesis via NF- κ B and Akt signalling. *J Cell Mol Med.* 箴 Oct 箴():箴 箴-箴箴.
42. Zhen-Lin Gu, Jing Huang, Lin-Lin Zhen. Knockdown of otubain 箴 inhibits liver cancer cell growth by suppressing NF- κ B signaling. *Kaohsiung J Med Sci.* 箴箴 Jun; 箴箴: -箴箴
43. Xiaomin Dang, Beibei He, Qian Ning, Ya Liu, Ying Chang, Mingwei Chen. Suppression of TRIM箴by microRNA- 箴 p restricts tumor necrosis factor- α -induced proliferation and migration of airway smooth muscle cells through inactivation of NF-Kb. *Int Immunopharmacol.* 箴箴 Jun;箴: 箴 .
44. Shiming Zhou, Nan Zhao, Jialei Wang. Gambogic acid suppresses bladder cancer cells growth and metastasis by regulating NF- κ B signaling. *Chem Biol Drug Des.* 箴箴 Nov; 箴): 箴箴 箴 .
45. Huankai Yao, Xiuli Zhang, Nan Zhang, Jindong Li, Yan Li, Qunli Wei. Wikstromol from *Wikstroemia indica* induces apoptosis and suppresses migration of MDA-MB-箴 cells via inhibiting PI K/Akt pathway. *J NAT MED-TOKYO.* 箴箴 Jan; (): 箴 箴.

Version 2024.03.12