



碧云天生物技术/Beyotime Biotechnology  
订货热线：400-168-3301或800-8283301  
订货e-mail：order@beyotime.com  
技术咨询：info@beyotime.com  
网址：http://www.beyotime.com

## Wortmannin (PI3K抑制剂)

产品编号	产品名称	包装
S1952	Wortmannin (PI3K抑制剂)	0.5mg

### 产品简介：

- Wortmannin是一种常用的phosphatidylinositol 3-kinase (PI3K)抑制剂。Wortmannin可以通透细胞，和PI3K的110kD催化亚基相结合，特异性抑制PI3K，抑制PI3K/Akt信号途径，包括常见的抑制Akt磷酸化等。同时Wortmannin也可以抑制myosin light chain kinase等。Wortmannin无明显的抗细菌作用，但具有很强的抑制真菌活性。Wortmannin对于纯化的PI3K的IC50为2-4 nM。
- Wortmannin分子量为428.43，分子式为C<sub>23</sub>H<sub>24</sub>O<sub>8</sub>，CAS Number: 19545-26-7。本产品纯度大于98%。
- 本Wortmannin为进口分装，用DMSO配制，浓度为20mg/ml，共25μl。

### 包装清单：

产品编号	产品名称	包装
S1952	Wortmannin (PI3K抑制剂, 20mg/ml)	0.5mg
—	说明书	1份

### 保存条件：

-20°C避光保存，半年有效。

### 注意事项：

- 本产品对人体有毒，操作时请特别小心，并注意有效防护以避免直接接触人体或吸入体内。
- 本Wortmannin在4°C、冰浴等较低温度情况下会凝固而粘在离心管管底、管壁或管盖内，可以20-25°C水浴温育片刻至全部融解后使用。
- 本产品仅限于专业人员的科学研究用，不得用于临床诊断或治疗，不得用于食品或药品，不得存放于普通住宅内。
- 为了您的安全和健康，请穿实验服并戴一次性手套操作。

### 使用说明：

- Wortmannin常见使用浓度范围为1-100μM。具体的最佳工作浓度请参考相关文献，或根据实验目的，以及所培养的特定细胞和组织，通过实验进行摸索和优化。

### 使用本产品的文献：

- Kui L, Weiwei Z, Ling L, Daikun H, Guoming Z, Linuo Z, Renming H. Ghrelin inhibits apoptosis induced by high glucose and sodium palmitate in adult rat cardiomyocytes through the PI3K-Akt signaling pathway. *Regul Pept.* 2009 Jun 5;155(1-3):62-9.
- Shi H, Feng JM. Aristolochic acid induces apoptosis of human umbilical vein endothelial cells in vitro by suppressing PI3K/Akt signaling pathway. *Acta Pharmacol Sin.* 2011 Aug;32(8):1025-30.
- Zhang Q, Huang WD, Lv XY, Yang YM. Puerarin protects differentiated PC12 cells from H<sub>2</sub>O<sub>2</sub>-induced apoptosis through the PI3K/Akt signalling pathway. *Cell Biol Int.* 2012 May 1;36(5):419-26.
- Wen Q, Zhou L, Zhou C, Zhou M, Luo W, Ma L. Change in hepatocyte growth factor concentration promotes mesenchymal stem cell-mediated osteogenic regeneration. *J Cell Mol Med.* 2012 Jun; 16(6):1260-73.
- Yang C, Zhao T, Lin M, Zhao Z, Hu L, Jia Y, Xue Y, Xu M, Tang Q, Yang B, Rong R, Zhu T. Helix B surface peptide administered after insult of ischemia reperfusion improved renal function, structure and apoptosis through beta common receptor/erythropoietin receptor and PI3K/Akt pathway in a murine model. *Exp Biol Med (Maywood).* 2013 Jan 1;238(1):111-9.
- Zhao L, Zhang W, Chen M, Zhang J, Zhang M, Dai K. Aspirin Induces platelet apoptosis. *Platelets.* 2013;24(8):637-42.
- Zheng C, Guo Q, Wu Z, Sun L, Zhang Z, Li C, Zhang X. Amphiphilic glycopolymer nanoparticles as vehicles for nasal delivery of peptides and proteins. *Eur J Pharm Sci.* 2013 May 3;49(4):474-482.
- Shao L, Liu K, Huang F, Guo X, Wang M, Liu B. Opposite effects of quercetin, luteolin, and epigallocatechin gallate on insulin sensitivity under normal and inflammatory conditions in mice. *Inflammation.* 2013 Feb;36(1):1-14.
- Wang J, Zhang Y, Weng W, Qiao Y, Ma L, Xiao W, Yu Y, Pan Q, Sun F. Impaired phosphorylation and ubiquitination by p70 S6 kinase (p70S6K) and Smad ubiquitination regulatory factor 1 (Smurf1) promote tribbles homolog 2 (TRIB2) stability and carcinogenic property in liver cancer. *J Biol Chem.* 2013 Nov 22;288(47):33667-81.
- Wang M, Gao XJ, Zhao WW, Zhao WJ, Jiang CH, Huang F, Kou JP, Liu BL, Liu K. Opposite effects of genistein on the regulation of insulin-mediated glucose homeostasis in adipose tissue. *Br J Pharmacol.* 2013 Sep;170(2):328-40.
- Chen L, Miao Y, Chen L, Jin P, Zha Y, Chai Y, Zheng F, Zhang Y, Zhou W, Zhang J, Wen L, Wang M. The role of elevated autophagy on the synaptic plasticity impairment caused by CdSe/ZnS quantum dots. *Biomaterials.* 2013 Dec;34(38):10172-81.
- Liu C, Yang J, Fu W, Qi S, Wang C, Quan C, Yang K. Coactivation of the PI3K/Akt and ERK signaling pathways in PCB153-induced NF-κB activation and caspase inhibition. *Toxicol Appl Pharmacol.* 2014 Jun 15;277(3):270-8.
- Chen S, An FM, Yin L, Liu AR, Yin DK, Yao WB, Gao XD. Glucagon-like peptide-1 protects hippocampal neurons against advanced glycation end product-induced tau hyperphosphorylation. *Neuroscience.* 2014 Jan 3;256:137-46.
- Xu M, Hu J, Zhao W, Gao X, Jiang C, Liu K, Liu B, Huang F. Quercetin differently regulates insulin-mediated glucose transporter 4 translocation under basal and inflammatory conditions in adipocytes. *Mol Nutr Food Res.* 2014 May;58(5):931-41.

15. Yang G, Zhang S, Gao F, Liu Z, Lu M, Peng S, Zhang T, Zhang F. Osteopontin enhances the expression of HOTAIR in cancer cells via IRF1. *Biochim Biophys Acta*. 2014 Sep;1839(9):837-48.
16. Chen G, Zhao J, Yin Y, Wang B, Liu Q, Li P, Zhao L, Zhou H. C-type natriuretic peptide attenuates LPS-induced endothelial activation: involvement of p38, Akt, and NF- $\kappa$ B pathways. *Amino Acids*. 2014 Dec;46(12):2653-63.
17. Liu C, Li L, Ha M, Qi S, Duan P, Yang K. The PI3K/Akt and ERK pathways elevate thyroid hormone receptor  $\beta$ 1 and TRH receptor to decrease thyroid hormones after exposure to PCB153 and p,p'-DDE. *Chemosphere*. 2015 Jan;118:229-38.
18. Zhao Y, Wang X, Sun Y, Zhou Y, Yin Y, Ding Y, Li Z, Guo Q, Lu N. LYG-202 exerts antitumor effect on PI3K/Akt signaling pathway in human breast cancer cells. *Apoptosis*. 2015 Sep;20(9):1253-69.
19. Wang S, Xu Q, Shu G, Wang L, Gao P, Xi Q, Zhang Y, Jiang Q, Zhu X. N-Oleoyl glycine, a lipoamino acid, stimulates adipogenesis associated with activation of CB1 receptor and Akt signaling pathway in 3T3-L1 adipocyte. *Biochem Biophys Res Commun*. 2015 Oct 23;466(3):438-43.
20. Lv K, Chen L, Li Y, Li Z, Zheng P, Liu Y, Chen J, Teng J. Trip6 promotes dendritic morphogenesis through dephosphorylated GRIP1-dependent myosin VI and F-actin organization. *J Neurosci*. 2015 Feb 11; 35(6):2559-71.
21. Zhu T, Zhao D, Song Z, Yuan Z, Li C, Wang Y, Zhou X, Yin X, Hassan MF, Yang L. HDAC6 alleviates prion peptide-mediated neuronal death via modulating PI3K-Akt-mTOR pathway. *Neurobiol Aging*. 2016 Jan;37:91-102.
22. Long Z, Chen B, Liu Q, Zhao J, Yang Z, Dong X, Xia L, Huang S, Hu X, Song B, Li L. The reverse-mode NCX1 activity inhibitor KB-R7943 promotes prostate cancer cell death by activating the JNK pathway and blocking autophagic flux. *Oncotarget*. 2016 Jul 5;7(27):42059-42070.
23. Zuo W, Xu F, Zhang K, Zheng L, Zhao J. Proliferation-enhancing effects of gatrodin on RSC96 Schwann cells by regulating ERK1/2 and PI3Ksignaling pathways. *Biomed Pharmacother*. 2016 Dec;84:747-753.
24. Lu Z, Zhou R, Kong Y, Wang J, Xia W, Guo J, Liu J, Sun H, Liu K, Yang J, Mi M, Xu H. S-equol, a Secondary Metabolite of Natural Anticancer Isoflavone Daidzein, Inhibits Prostate Cancer GrowthIn Vitro and In Vivo, Though Activating the Akt/FOXO3a Pathway. *Curr Cancer Drug Targets*. 2016;16(5):455-65.
25. Chen JR, Jia XH, Wang H, Yi YJ, Wang JY, Li YJ. Timosaponin A-III reverses multi-drug resistance in human chronic myelogenous leukemia K562/ADM cellsvia downregulation of MDR1 and MRP1 expression by inhibiting PI3K/Akt signaling pathway. *Int J Oncol*. 2016 May; 48(5):2063-70.
26. Zhu T, Zhao D, Song Z, Yuan Z, Li C, Wang Y, Zhou X, Yin X, Hassan MF, Yang L. HDAC6 alleviates prion peptide-mediated neuronal death via modulating PI3K-Akt-mTOR pathway. *Neurobiol Aging*. 2016 Jan;37:91-102.
27. Gu Y, Liang Z, Wang H, Jin J, Zhang S, Xue S, Chen J, He H, Duan K, Wang J, Chang X, Qiu C. Tanshinone IIA protects H9c2 cells from oxidative stress-induced cell death via microRNA-133 upregulationand Akt activation. *Exp Ther Med*. 2016 Aug;12(2):1147-1152.
28. Zhang J, Jiang H, Xie L, Hu J, Li L, Yang M, Cheng L, Liu B, Qian X. Antitumor effect of manumycin on colorectal cancer cells by increasing the reactive oxygen speciesproduction and blocking PI3K-AKT pathway. *Oncotargets Ther*. 2016 May 24;9:2885-95.
29. Gao Y, Liao G, Xiang C, Yang X, Cheng X, Ou Y. Effects of phycocyanin on INS-1 pancreatic  $\beta$ -cell mediated by PI3K/Akt/FoxO1 signaling pathway. *Int J Biol Macromol*. 2016 Feb;83:185-94.
30. Wu D, Cheng J, Sun G, Wu S, Li M, Gao Z, Zhai S, Li P, Su D, Wang X. p70S6K promotes IL-6-induced epithelial-mesenchymal transition and metastasis of head and necksquamous cell carcinoma. *Oncotarget*. 2016 Jun 14;7(24):36539-36550.

Version 2016.12.12